

**ARCHINE**

**Shanghai PingYiao Trading CO., Ltd.**

**ArChine Foodtech HO 15**

**Food Grade Hydraulic Oil**

NSF Registration No. 145161 Place of Origin: America

**ARCHINE**

**GENERAL:**

ArChine Foodtech HO 15 is specially formulated to provide superior lubrication in food plant machinery. The water white oil provides outstanding

anti-wear protection, which is compounded to prevent rusting in the presence of moisture, non-foaming and has rapid water separation

characteristics. An effective antioxidant gives long oil service life and reduces the possibility of sludge and varnish formation.

ArChine Foodtech HO 15 should be used where hydraulic fluids and other mild lubricants are called for in equipment associated with food

processing. The oil provides anti-wear protection that meets all the requirements of major hydraulic pump manufacturers such as Cincinnati

Milicron P-68, P-69, P-70 and Vicker's 104 vane pump wear test. USDA/NSF has approved ArChine Foodtech HO 15 under their H-1

specification for incidental contact with food. The oil complies with FDA guidelines for food contact listed in CFR Title 21 Part 178,

Section 178.3570.

**FEATURES:**

**Distributor Wanted**

Shanghai PingYiao Trading CO., Ltd.

Tel: 86-21-64705533

Address: A1207, Yin Hai Building, No.250, Caoxi Road, Xuhui District, Shanghai 200235 P.R.China

Telephone helpline: (86)15900706965

Fax: 86-21-64705533-209

Website: [www.pingyiao.com](http://www.pingyiao.com)

E-mail: [info@pingyiao.com](mailto:info@pingyiao.com)

- USDA / NSF H1 Approved
- HALAL Approved
- Excellent Rust Protection
- Superior Oxidation Resistance
- Non-Foaming
- Superior Anti-Wear

**TYPICAL PROPERTIES:**

ISO Grade	15
Viscosity @ 40°C, cSt	15.0
Viscosity @ 100°C, cSt	-
Viscosity @ 100°C , SUS	83
Viscosity @ 210°C , SUS	-
Viscosity Index	95
Pour Point, °F/°C	+10/-22
Flash Point, °F/°C	370/187
API Gravity	33.2
Specific Gravity, 15°C	0.86
Color	0.5
Acid Number, mg KOH/g	0.15
Distilled Water	PASS
Synthetic Sea Water	PASS
Minutes to 3 mLaa	PASS
Minutes to 0 mL	PASS
Hours to 2.0 Acid #	6000+

\*Typical data shall not be used as product specifications.

**Distributor Wanted**

Shanghai PingYiao Trading CO., Ltd.

Tel: 86-21-64705533

Address: A1207, Yin Hai Building, No.250, Caoxi Road, Xuhui District, Shanghai  
200235 P.R.China

Telephone helpline: (86)15900706965

Fax: 86-21-64705533-209

Website: [www.pingyiao.com](http://www.pingyiao.com)

E-mail: [info@pingyiao.com](mailto:info@pingyiao.com)

**ARCHINE**

**Shanghai PingYiao Trading CO., Ltd.**

---

Shanghai PingYiao Trading CO., Ltd.

**Distributor Wanted**

Shanghai PingYiao Trading CO., Ltd.

Tel: 86-21-64705533

Adress: A1207, Yin Hai Building, No.250, Caoxi Road, Xuhui District, Shanghai  
200235 P.R.China

Telephone helpline: (86)15900706965

Fax: 86-21-64705533-209

Website: [www.pingyiao.com](http://www.pingyiao.com)

E-mail: [info@pingyiao.com](mailto:info@pingyiao.com)